	Application No.	Applicant(s)
Notice of Allowability	10/560,307	ABE ET AL.
	Examiner	Art Unit
	Matthew M. Barker	3662
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the preliminary amendment filed 12/12/2005.		
2. The allowed claim(s) is/are 7-12.		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	. □ Nation of Informal □	latant Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal P 6. ☐ Interview Summary 	• •
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	te
Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
		,
		•

Notice of Allowability

10/560,307 Art Unit: 3662

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. James Edmondson on 11/15/2007.

The application has been amended as follows:

On line 2 of claim 7, replace "an object" with --objects--.

On line 3 of claim 7, replace "an object" with --objects--.

On line 2 of claim 10, replace "an object" with --objects--.

On line 3 of claim 10, replace "an object" with --objects--.

Allowable Subject Matter

- 3. Claims 7-12 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The prior art discloses numerous object detection systems and methods which combine the results from radar and image detection units. However, the prior art fails to disclose a system or method including the detection of:

10/560,307 Art Unit: 3662

a combination of an object detected by the radar detection unit and an object selected among those detected by the image detection unit which is the closest to the object detected by the radar detection unit;

a combination of an object detected by the image detection unit and an object selected among those detected by the radar detection unit which is the closest to the object detected by the image detection unit;

determining whether there is a coincidence between the combination of the object detected by the radar detection unit and the selected object as being closest thereto and the combination of the object detected by the image detection unit and the selected object as being closest thereto, and determining when there is the coincidence, that the object detected by the radar detection unit is the same as the object detected by the image detection unit.

Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited art relates to various object detection systems and methods.
- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number:

10/560,307

Art Unit: 3662

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew M. Barker whose telephone number is

(571)272-3103. The examiner can normally be reached on M-F, 8:30 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Tarcza can be reached on (571)272-6979. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mound

MMB

THOMAS H. TARCZA SUPERVISORY PATENT EXAMINER

Mones M. Journs

TECHNOLOGY CENTER 3600